




Corn yield response to foliar AZteroid



Location: Cheneyville, LA

Comments: Application of AZteroid increased yield



VIVE HARVEST REPORT

LOCATION: Cheneyville, LA	DATE: 2015
---------------------------	------------

CROP: Corn		
VIVE PRODUCT USED: AZteroid	PLANT DATE: April 22, 2015	HARVEST DATE: Sept 16, 2015
TILLAGE TYPE: <input type="checkbox"/> MIN <input type="checkbox"/> STRIP <input checked="" type="checkbox"/> CONV	PREVIOUS CROP:	

FERTILITY PROGRAM (amount of fertility, type / analysis, application type and timing):
 3/20/2015 - FERTILIZER - 0-60-10 NPK - 335 LBS/A
 5/15/2015 - SIDEDRESS - 32% UAN - 200 UNITS/A

SOIL TYPE: Silt loam	SOIL PH: 6.2
----------------------	--------------

TRIAL HYBRID(S): P1602YHR	IRRIGATED : <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	SEEDING POPULATION:
APPLICATION EQUIPMENT: Backpack Sprayer, flat fan nozzle	CARRIER FOR VIVE PRODUCT: Water, 10 gal/ac	

TREATMENT (lbs ai/ac)	YIELD (bu/ac)	ACREAGE
AZteroid 0.1 + NIS	187.1	800.4 ft ²
AZteroid 0.15 + NIS	211.9	800.4 ft ²
AZteroid 0.25 + NIS	204.8	800.4 ft ²
Quadris 0.1 + NIS	203.3	800.4 ft ²
Quadris 0.15 + NIS	209.6	800.4 ft ²
Quadris 0.25 + NIS	200.1	800.4 ft ²
AZteroid 0.15	207.8	800.4 ft ²
Quadris 0.15	212.7	800.4 ft ²
Untreated	198.5	800.4 ft ²

YIELD CORRECTED TO STANDARD MOISTURE <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO	OBSERVATIONS FROM MIXING: <input checked="" type="checkbox"/> NO ISSUES SEEN <input type="checkbox"/> POTENTIAL PROBLEM OBSERVED
--	---

DESCRIBE ANY PROBLEMS: None