


# Potato yield response to AZteroid



**Location:** Bonners Ferry, ID

**Comments:** Application of AZteroid at the low label rate increased yield as compared to both Quadris and the untreated control



# VIVE HARVEST REPORT

LOCATION: Bonners Ferry, ID	DATE: 2016
-----------------------------	------------

CROP: Potato		
VIVE PRODUCT USED: AZteroid	PLANT DATE: May 30, 2016	HARVEST DATE: Oct 25, 2016
TILLAGE TYPE: <input type="checkbox"/> MIN <input type="checkbox"/> STRIP <input checked="" type="checkbox"/> CONV	PREVIOUS CROP:	

FERTILITY PROGRAM (amount of fertility, type / analysis, application type and timing):  
 Fertility levels: Excellent

SOIL TYPE: Silt loam	SOIL PH: 7.8	CEC: 22
----------------------	--------------	---------

TRIAL VARIETY: Ranger Russet	IRRIGATED : <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO	SEEDING POPULATION: 1000 lb/ac
APPLICATION EQUIPMENT: In-furrow. Flat fan nozzle, 6001	AGITATION IN TANK: <input type="checkbox"/> YES <input type="checkbox"/> NO	

CARRIER FOR VIVE PRODUCT: 10-34-0 liquid fertilizer (5 gal/ac) + water. Total 10 gal/ac.

TREATMENT (oz ai/1000 row ft)	YIELD (CWT)	RHIZOCTONIA SEVERITY (0-10)	ACREAGE (ft <sup>2</sup> )
AZteroid 0.10 + LF	263.8	0.3	181.12
AZteroid 0.16 + LF	245.7	0.4	181.12
Quadris 0.10	238.0	0.2	181.12
Quadris 0.16	244.2	0.4	181.12
Fertilizer only	239.2	0.4	181.12
Water only	256.0	0.6	181.12

YIELD CORRECTED TO STANDARD MOISTURE <input type="checkbox"/> YES <input type="checkbox"/> NO	OBSERVATIONS FROM MIXING: <input checked="" type="checkbox"/> NO ISSUES SEEN <input type="checkbox"/> POTENTIAL PROBLEM OBSERVED
---	---

DESCRIBE ANY PROBLEMS:

IN-SEASON OBSERVATIONS: Pythium reduced stand count significantly (not controlled by azoxystrobin)